

## Text formatting

**Bold:** **\*\*bold\*\***

*Italic:* *//italic//*

Underlined: \_\_underlined\_\_

**Monospaced:** "monospaced"

Subscript <sub>subscript</sub>

Superscript <sup>superscript</sup>

~~Deleted:~~ <del>deleted</del>

Forced new line: \\

## External links

DokuWiki recognized external URLs automatically.

Link w/name: [\[\[http://www.google.com|Go to Google\]\]](http://www.google.com)

Email address: <dmpop@openoffice.org>

RSS feed: [{{rss>http://rss.slashdot.org/Slashdot/slashdot}}](http://rss.slashdot.org/Slashdot/slashdot)

## Internal links

DokuWiki page: [\[\[pagename\]\]](#)

DokuWiki page w/name: [\[\[pagename|Page name\]\]](#)

DokuWiki page in the specified namespace: [\[\[wiki:pagename\]\]](#)

Link to the specified section: [\[\[page#section|Section\]\]](#)

Interwiki link: [\[\[doku>wiki:interwiki|Interwiki\]\]](#)

- [Link to a page on Wikipedia: \[\[wp>pagename\]\]](#)
- [Link to a Google search: \[\[google>pagename\]\]](#)
- [Link to a page on Meatball: \[\[Meatball>pagename\]\]](#)

Image link: [\[\[http://www.php.net|{{wiki:dokuwiki-128.png}}\]\]](http://www.php.net)

Windows share: [\[\[\\server\share|Windows share\]\]](#)

## Footnotes

Add footnotes by using double parentheses ((This is a footnote)).

## Headlines

===== Level 1 Headline =====

==== Level 2 Headline =====

==== Level 3 Headline =====

==== Level 4 Headline =====

==== Level 5 Headline =====

DokuWiki automatically generates a table of contents when the page contains more than three headlines. To disable the table of contents, insert the `~~NOTOC~~` markup somewhere in the page.

## Images

Original size: [{{wiki:image.png}}](#)

Resized to the specified width: [{{wiki:image .png?50}}](#)

Resized to the specified width and height: [{{wiki:image.png?200x50}}](#)

Resized external image: [{{http://url/image.png?200x50}}](http://url/image.png?200x50)

Aligned left: [{{ wiki:image .png}}](#)

Aligned right: [{{wiki:image .png}}](#)

Centered: [{{ wiki:image .png}}](#)

Caption: [{{ wiki:image .png|Caption goes here}}](#)

## Unordered lists

To create an unordered list, indent your text by two spaces and use the \* character for each list item.

- \* Level 1 list item
- \* Level 2 list item
- \* Level 1 list item

## Numbered lists

To create a numbered list, indent your text by two spaces and use the - character for each list item.

- Level 1 list item
- Level 2 list item
- Level 1 list item

## Quotes

> Quote 1

>> Quote 2

>>> Quote 3

## Tables

^ Heading 1    ^ Heading 2    ^

| Row 1 Col 1   | Row 1 Col 2   |

|                    Colspan                    ||

| Row 3 Col 1   | Row 2 Col 2   |

|                    ^ Heading 1    ^ Heading 2    ^

^ Heading 3   | Row 1 Col 2   | Row 1 Col 3   |

^ Heading 4   | Row 2 Col 2   | Row 2 Col 3   |

^ Heading 5   | Row 2 Col 2   | Row 2 Col 3   |

## Non-parsed blocks

To include a non-parsed block into a page, indent it by at least two spaces or use the code or file tags.

## Syntax highlighting

DokuWiki supports code highlighting. It uses the GeSHi Generic Syntax Highlighter (<http://qbnz.com/highlighter/>), and recognizes any language supported by GeSHi. The code must be included between tags that identify the programming language, for example: `<code oobas></code>` or `<code java></code>`.

## Embedding HTML and PHP

If the HTML/PHP embedding is enabled, you can include HTML and PHP code into DokuWiki pages:

```
<html><font color="red" size="+1">Lorem ipsum</font> </html>
```

## Page export

Single page can be exported to different formats by adding an appropriate do parameter to the URL:

[http://wiki.splitbrain.org/wiki:export?do=export\\_raw](http://wiki.splitbrain.org/wiki:export?do=export_raw)

The following export options are available:

- `export_raw` (returns the pages source as text/plain)
- `export_xhtml` (returns the rendered page as simple XHTML without any navigational elements)
- `export_xhtmlbody` (returns the rendered XHTML of the page only)

## Configuration files

- `conf/dokuwiki.php` DokuWiki default settings
- `conf/local.php` DokuWiki user-defined settings
- `conf/entities.conf` Custom typography conversion rules

## Keyboard shortcuts

On Mac, use `Ctrl` instead of `Alt`. In Firefox, use `Alt+Shift`

`Alt+E` Open the current page in edit mode

`Alt+V` Open the current page in view mode

`Alt+O` Show the old revisions of the current page

`Alt+R` Show the recent changes

`Alt+F` Set the cursor to the search field

`Alt+H` Open the start page

`Alt+X` Open the index page